

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| S1    | 92   | ((("6115712") or ("6061665") or ("6061665") or ("6092053") or ("6282522") or ("6772333") or ("6366967") or ("5903721") or ("6367009") or ("6525747") or ("6314521") or ("6393420") or ("5809145") or ("5809144") or ("6101486") or ("6041123") or ("6078902") or ("6085321") or ("6253193") or ("6363488") or ("6389402") or ("6427140") or ("5935246") or ("6285991") or ("6345288") or ("5930479") or ("6052710") or ("5956483") or ("6141666") or ("6202159") or ("5864823") or ("6327578") or ("6463418") or ("6823387") or ("6901512") or ("5826267") or ("6269394") or ("6018801") or ("6088796") or ("6247133") or ("6304969") or ("6438584") or ("6446115") or ("6725381") or ("5960411") or ("5991739") or ("6169997") or ("6175838") or ("6587878") or ("6038548").pn.)).PN. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT             | OR               | OFF     | 2005/07/13 16:25 |
| S2    | 96   | ((("6240461") or ("6098056") or ("6073124") or ("6785666") or ("6873981") or ("5583940") or ("6023509") or ("6199053") or ("6148405") or ("5884312") or ("6385596") or ("6868403") or ("6006258") or ("6044468") or ("5925127") or ("5941954") or ("6385728") or ("5991411") or ("5940516") or ("6237005") or ("6052784") or ("6122632") or ("6278704") or ("6415290") or ("5958016") or ("6115040") or ("6141413") or ("5862325") or ("5907547") or ("5923738") or ("5930341") or ("5937041") or ("5948061") or ("6023684") or ("6055510") or ("6055573") or ("6088717") or ("6092196") or ("6091808") or ("6144667") or ("6240444") or ("6240453") or ("6377936") or ("6377993") or ("6389541") or ("6393456") or ("6606708") or ("6675067") or ("6725429") or ("6850484").pn.)).PN. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT             | OR               | OFF     | 2005/07/12 13:53 |
| S3    | 94   | ((("6859783") or ("6892347") or ("6047264") or ("6185602") or ("6711679") or ("6732179") or ("6772216") or ("5805803") or ("6311215") or ("6311278") or ("6598032") or ("6631417") or ("5964891") or ("6226669") or ("6226669") or ("5809242") or ("5958053") or ("5964833") or ("6014502") or ("6026404") or ("6085232") or ("6138156") or ("6185610") or ("6225995") or ("6225995") or ("6247056") or ("5822543") or ("5896372") or ("5943648") or ("5996011") or ("5999971") or ("6003094") or ("6016516") or ("6044205") or ("6085224") or ("6118860") or ("6134584") or ("6138158") or ("6173322") or ("6175619") or ("6181781") or ("6184996") or ("6199106") or ("6202087") or ("6205477") or ("6311211") or ("6314456") or ("6314565") or ("6321257") or ("6324584").pn.)).PN. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT             | OR               | OFF     | 2005/07/12 15:08 |
| S4    | 2283 | ((user or client) and browser and internet and "web server" and "application server" and database and URL and (program or script or macros))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/07/12 15:12 |
| S5    | 1978 | S4 and ((transmit\$3 or receiv\$3) with (message or data))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/07/12 15:14 |

|     |      |  |   |    |    |                  |
|-----|------|--|---|----|----|------------------|
| S6  | 219  | S5 and ((message or data) with (unauthoriz\$2 or malicious))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 15:17 |
| S7  | 177  | S6 and ((process or procedure) with server)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 15:18 |
| S8  | 12   | S7 and ("name pair value" or "name value pair" or "Nvp" or "npv")  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:33 |
| S9  | 5513 | ("name pair value" or "name value pair" or "NVP" OR "NPV")   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 15:57 |
| S10 | 3514 | S9 and (message or data)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 15:58 |
| S11 | 871  | S10 and ((process or procedure) with server)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 15:59 |
| S12 | 759  | S11 and internet   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 15:59 |
| S13 | 1    | S12 and (((unauthoriz\$2 or malicious or destructive) adj (element or instruction or command)) with (message or data)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:02 |
| S14 | 1    | S10 and (((unauthoriz\$2 or malicious or destructive) adj (element or instruction or command)) with (message or data)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:02 |
| S15 | 1    | S9 and (((unauthoriz\$2 or malicious or destructive) adj (element or instruction or command)) with (message or data))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:02 |

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S16 | 54   | ((unauthoriz\$2 or malicious or destructive) adj (element or instruction or command)) with (message or data))         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:29 |
| S17 | 921  | ((unauthoriz\$2 or malicious or destructive) adj (element or instruction or command or data)) with (message or data)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:29 |
| S18 | 4    | S17 and S9  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:30 |
| S19 | 5508 | ("name value pair" or "Nvp" or "npv")   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:35 |
| S20 | 704  | ((("name value pair" or "Nvp" or "npv") with (message or data))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:36 |
| S21 | 274  | S20 and( message with (instruction or parameter or command or character or token or string))                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:38 |
| S22 | 203  | S21 and (instrunction or command)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:38 |
| S23 | 33   | S22 and (unauthoriz\$2 or destruct\$3 or malicious)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:57 |
| S24 | 1156 | "secure server"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:57 |
| S26 | 156  | S24 and ((process or execure or run) near (program or script or macros or routine))                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/12 16:59 |

|     |       |  |   |    |    |                  |
|-----|-------|--|---|----|----|------------------|
| S27 | 11    | S26 and ((intercept\$3 or interrupt\$3 or<br>decod\$3) near (message or data))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 08:34 |
| S28 | 22079 | ((user or client) with (send or trnasmit) with<br>(data or message))and (receive with (mesage or<br>data)))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 08:36 |
| S29 | 22079 | S28 and ((message or data) with ((unauthoriz\$2<br>or malicious) adj\$2 (information or data or<br>element or content or instrunction or<br>command))) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 08:39 |
| S30 | 13213 | S29 and (server and internet)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 08:40 |
| S31 | 11971 | S30 and (server with ((process or procedure or<br>decode) adj\$2 (message or data)))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 08:42 |
| S32 | 830   | S31 and ((examin\$3 or verif\$4) adj (message or<br>data))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 09:13 |
| S33 | 92    | S32 and ((intercept\$3 or interrupt\$3) adj<br>(message or data))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 09:14 |
| S34 | 90    | S33 and ((send\$3 or transmitt\$3) with (error or<br>message))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 10:06 |
| S35 | 6496  | 713/200,201,194.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 10:07 |
| S36 | 8549  | 709/223,224,225.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 10:07 |

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| S37 | 645  | S35 and S36  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/13 10:07 |
| S38 | 6391 | S35 and ((interrut\$3 or intercept\$3) adj\$2 (data or message))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/13 10:08 |
| S39 | 6389 | S38 and ((examin\$3 or verif\$4) adj\$2 (data or message))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/13 10:09 |
| S40 | 5584 | S39 and ((message or data) with ((unauthoriz\$2 or malicious) adj\$2 (content or information or element or instruction or command))) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/13 10:11 |
| S41 | 269  | S40 and ((proces\$4 or procedur\$3) adj (server))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/13 10:13 |
| S42 | 82   | S41 and ((error adj notificat\$3) or notification)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/13 10:13 |
| S43 | 72   | S42 and internet   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/13 11:28 |
| S44 | 2    | "6886099".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/13 11:30 |
| S48 | 2    | ("20040025052").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT             | OR | OFF | 2005/07/13 11:32 |
| S50 | 2    | ("6397335").PN.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT             | OR | OFF | 2005/07/13 11:55 |
| S51 | 2218 | ((identificat\$3 or identif\$4) with (execut\$4 adj program))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/07/13 11:58 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S52 | 535 | S51 and (program with (process or procedure) with (message or data))                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 12:00 |
| S53 | 192 | S52 and internet   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 12:00 |
| S54 | 4   | S52 and (error adj notif\$7)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 12:07 |
| S55 | 102 | S53 and (receiv\$3 adj (message or data))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 12:07 |
| S56 | 72  | S55 and ((retriev\$3 or recover\$3) with (information or data))                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 12:46 |
| S57 | 2   | "6748534".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 15:55 |
| S58 | 2   | "5832208".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 16:04 |
| S59 | 6   | "066367".ap.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 16:04 |
| S60 | 60  | ((execut\$4 adj program) with (map\$4 or match\$3) with (type or catagory or class)) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:14 |
| S61 | 57  | S60 and (message or data or file)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 16:54 |

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S62 | 69   | ("20010007995" "4949248" "5204947" "5265239" "5761656" "5801170" "5832274" "5838906" "5859978" "5870552" "5896533" "5898835" "5903727" "6026433" "6038596" "6047312" "6088515" "6125387" "6128642" "6131116" "6154218" "6185609" "6195678" "6256662" "6256662" "6256666" "6263363" "6266678" "6362836" "6421673" "6442565" "6502133" "6721803" "6779117").<br>PN. | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:00 |
| S63 | 7141 | identif\$7 with execut\$4 with process  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:15 |
| S64 | 395  | identif\$7 with execut\$4 with process with message   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:15 |
| S65 | 126  | S64 and (execut\$4 adj program)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:16 |
| S66 | 1    | S64 and ((execut\$4 adj program)with ((map\$3 or match\$3) with (type or class)))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:21 |
| S67 | 1    | S64 and ((execut\$4 adj program)with (map\$3 or match\$3) with (type or class))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:21 |
| S68 | 79   | S64 and ((map\$3 or match\$3) with (type or class))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:22 |
| S69 | 21   | S65 and ((map\$3 or match\$3) with (type or class))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:28 |
| S70 | 189  | (message with ("name pair value" or "name value pair" or "NVP" OR "npv"))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:35 |
| S71 | 185  | S70 and ((unauthoriz\$2 or milicious or desructive) adj\$2 (code or parameter or program or script))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:36 |

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S72 | 11   | S71 and (internet and "network server")                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/14 09:24 |
| S73 | 159  | S71 and (internet)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:45 |
| S74 | 44   | S73 and (execut\$4 adj program)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 17:47 |
| S75 | 47   | S71 and (execut\$4 adj program)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 18:05 |
| S77 | 67   | ((execut\$4 adj program) with (scan\$4 or verif\$4 or decod\$3) with message) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 18:15 |
| S78 | 6    | S77 and (identif\$7 with (execut\$4 adj program))                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 18:18 |
| S80 | 1969 | ((execut\$4 adj program) with (scan\$4 adj\$2 message))                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 18:17 |
| S82 | 184  | S80 and (identif\$7 with (execut\$4 adj program))                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 18:20 |
| S85 | 65   | S82 and (process with message)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/13 18:22 |
| S86 | 189  | (message with ("name pair value" or "name value pair" or "NVP" OR "npv"))     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/14 09:24 |



|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S87 | 185 | S86 and ((unauthoriz\$2 or malicious or desructive) adj\$2 (code or parameter or program or script))         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/14 09:24 |
| S88 | 156 | S87 and (internet and server)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/14 09:24 |
| S89 | 67  | ((execut\$4 adj program) with (scan\$4 or verif\$4 or decod\$3) with message)                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/14 09:36 |
| S92 | 2   | "6088803".pn.  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/14 10:20 |
| S94 | 4   | "978563".ap.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/14 17:27 |
| S95 | 713 | ((("name value pair" or "Nvp" or "npv") with (message or data))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/15 16:18 |
| S96 | 280 | S95 and( message with (instruction or parameter or command or character or token or string))                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/15 16:18 |
| S97 | 204 | S96 and (instrunction or command)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/15 16:18 |
| S98 | 21  | ((((message or data) adj (compris\$3 or contain\$3)) adj ("name value pair" or "name/value pair" or "nvp"))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 15:15 |
| S99 | 45  | ((((message or data) adj (compris\$3 or contain\$3)) with ("name value pair" or "name/value pair" or "nvp")) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/07/20 15:15 |